


DATA TERMINAL: TA301

PREPOZNAVANJE GEOMETRIJE LICA & ŠIFRA ("TOUCH" TASTATURA)
 HIBRIDNI RFID ČITAČ KARTICA (125KHz & 13.56MHz)



Screen size	2.8inch
ID/IC card	ID+IC
User capacity	1000
Face capacity	1000
Password capacity	1000
Card capacity	1000
Data capacity	160000
Wiegand output	✓
TCP/IP	✓
USB communication	✓
Recognition speed	≤1s
FAR	≤0.0001%
FR	≤0.1%
Power	12V1A
Ambient temperature	-10°C~45°C
Environment humidity	20~80%
Product Size	172*89*32mm
Language	English



+381 11 355 7599
 +381 63 598 017
 office@aspekt.rs



- Facial
- Password
- Card

THREE METHODS



+381 11 355 7599
+381 63 598 017
office@aspekt.rs



Multi-
optio



+381 11 355 7599
+381 63 598 017
office@aspekt.rs

DUAL CAMERAS

Accurate identification day or night



Double
infrared light



Dual
cameras



High
precision



ACRYLIC PANEL

The panel is made of high-quality acrylic material and treated with 3 layers of coating



Wireless door

- Remote control and receiver
- Computer selected 36 m
- Four-speed adjustable v
- Learning type code, not
- Digital circuit design, sta



+381 11 355 7599
+381 63 598 017
office@aspekt.rs