

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION	JM	VP CENA (EUR)
------	--------------------------------------	----	---------------

BRAVICE, ELEKTRO-PRIHVATNICI I ELEKTRO "DROP BOLT" BRAVE

	1	1	CAB-91	kom	10.00
	EPEKTRO BRAVICA CAB-91 12VDC; 55 x 23 x 28mm; sa metalnim prihvatom za jezičak - Power on- Open / Power off- Lock - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati				
	1	2	CAB-91B	kom	13.00
	EPEKTRO BRAVICA CAB-91B 24VDC; 55 x 23 x 28mm; - Power on- Open / Power off- Lock - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati				
	1	5	ESA-110A	kom	35.00
	EPEKTRO BRAVA (ELEKTRO-PRIHVATNIK) ESA-110A; Fail-secure type (Power to unlock) - Lock Size: 250Lx25Wx34H(mm); Strike Struiture: Stainless Steel; Holding Force: 400kg - Voltage: DC12V; Current: 240mA (ES-110A)				
	1	7	ESA-110B	kom	35.00
	EPEKTRO BRAVA (ELEKTRO-PRIHVATNIK) ESA-110B; Fail-safe type (Power to lock) - Lock Size: 250Lx25Wx34H(mm); Strike Struiture: Stainless Steel; Holding Force: 400kg - Voltage: DC12V; Current: 120mA (ES-110B)				
	1	8	YSA-132NO	kom	25.00
	ELEKTRO-PRIHVATNIK European Long-type IMP-Fail Secure (NO/COM) - 12VDC; opc. 24VDC Stainless Steel 250Lx25Wx31H(mm) n/weight 0.5kg - CE sertifikat				
	1	9	YSA-132NC	kom	25.00
	ELEKTRO-PRIHVATNIK European Long-type PPS-Fail Safe (NC/COM) - 12VDC; opc. 24VDC Stainless Steel 250Lx25Wx31H(mm) n/weight 0.5kg - CE sertifikat				
	1	10	YAB-80	kom	30.00
	ELEKTRO-BRAVA - TIP: DROP BOLT - MINI Tip F. SECURE(IMP) - Size: 70.3Lx59WX27.5H(mm); Voltage: DC12V, Current: 100mA -40°C~+60°C - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati				

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION		JM	VP CENA (EUR)
	1 11	SM203.00.10	kg	35.00
ELEKTRO-BRAVA ! Tip Drop bolt; F.SECURE(IMP); Sa signalom, napajanje 12 V/0.085 A - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati				
	1 12	SM203.00	kg	35.00
ELEKTRO-BRAVA ! Tip Drop bolt; F.SAFE(PP); napajanje 12 V/0.085 A - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati				
	1 15	BAL-2300	kom	40.00
ELEKTRO BRAVA ("DEAD BOLT") BAL-2300 - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati				
	1 15	JAS-300-T2	kom	35.00
ELEKTRO BRAVA ("DEAD BOLT") JAS-300-T2 - 12VDC - Fail Safe - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati				
	1 16	ACAM-Y500A/B	kom	70.00
DROP BOLT GB Fail Secure Sturdiness ELECTRIC BOLT W/narrow panel; cylinder - Face Plate 210Lx25WX42H(m); Strike 90Lx25Wx3H(m); Bolt 16(lengthmm) - Voltage 12VDC (option) Start Current 960m Standby Current 180mA - Autolock Time Delay 0,3,6,9s Door status signal output contact NO、C - Cylinder One side is key, another side is knobSolid Bolt Holding Force 1000Kg - Suitable For wooden door,metal door, PVC door - Surface Temp Low TemperatureInduction Distance 8mm - LED Light on indicates locked, light off indicates unlocked - Face place material 304 stainless steel, wire draw finishing - Weight 1kg Patent No. 201420532821.5				
	1 17	BAL-2600B	kom	75.00
ELEKTRO BRAVA ("DEAD BOLT") BAL-2600B - Sa cilindrom (leptir) i 3 ključa - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati				

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION			JM	VP CENA (EUR)
	1	18	BAL-2900	kom	80.00
EPEKTRO BRAVA ("DEAD BOLT") BAL-2900 Sa statusom (LED Indikator) - Sa cilindrem (leptir) i 3 ključa - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati					
	1	19	18733	kom	55.00
EPEKTRO BRAVA - "death bolt"; DxŠxV: 205 x 35 x 36.5mm. - Magnetna pločica za vrata DxŠxV: 90 x 25 x 2 mm. Reza: Prečnik 16mm, - Dužina dela od nerđajućeg čelika 16mm. Napon napajanja: 12VDC - - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati					
	1	20	YAB-900	kom	50.00
ELEKTRO BRAVE YAB-900 ZA GARAŽNA VRATA, PEŠAČKU KAPIJU ITD.					

EPEKTRO-MAGNETNE BRAVE

	2	1	ACAM-Y60	kom	20.00
EPEKTRO-MAGNETNA BRAVA ACAM-Y60 Drži 60kg - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati					
	2	2	ACAM-Y70	kom	25.00
EPEKTRO-MAGNETNA BRAVA ACAM-Y70 Drži 70kg - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati					
	2	3	ACAM-Y180	kom	35.00
ELEKTRO-MAGNETNA BRAVA ACAM-Y180 Drži 180kg - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati					
	2	4	ACAM-Y180M	kom	40.00
ELEKTRO-MAGNETNA BRAVA ACAM-Y180M Drži 180kg sa statusom - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati					

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION			JM	VP CENA (EUR)
	2	20	ELA-200	kom	30.00
EPEKTRO-MAGNETNA BRAVA ELA-200 Drži 70kg - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati					
	2	21	ELA-600ST	kom	50.00
ELEKTRO-MAGNETNA BRAVA ELA-600ST Drži 280kg - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati					
	2	22	ELA-600S	kom	55.00
EPEKTRO-MAGNETNA BRAVA ELA-600S sa signalom Drži 280kg - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati					
	2	25	ELA-800	kom	65.00
EPEKTRO-MAGNETNA BRAVA ELA-800 Drži 350kg - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati					
	2	26	ELA-1200ST	kom	125.00
EPEKTRO-MAGNETNA BRAVA ELA-1200 Drži 500kg - Electromagnetic Door Lock With Led/ Door Sensor And 2 Relay - Napajanje podesivo 12/24VDC; Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati					
	2	30	ELA-W220	kom	55.00
EPEKTRO-MAGNETNA BRAVA ELA-W220 Drži 110kg; IP66; F-SAFE - Za dvorišne kapije itd. 12VDC; -10°C ~ 55°C ; - Brava 160L x 28W x 19H mm; Ploča 130L x 28W x 11H mm - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati					

ELEKTRO-BRAVE ZA KLIZNA VRATA I PROZORE

	3	1	YEAH-210	kom	40.00
ELEKTRO BRAVA YEAH-210 Za klizna vrata i prozore; F-SAFE; Drži 300kg - 12VDC; Opcija 24VDC; -40°C ~ +50°C; - Dimenzije: 79Lx45.5Wx34.3H(mm); CE Sertifikat					

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION		JM	VP CENA (EUR)	
	3	2	YASD-220	kom	150.00
ELEKTRO BRAVA YASD-220 Za klizna vrata i prozore; F-SECURE; Drži 450kg - 12VDC; Opcija 24VDC; -20°C~ +50°C - Dimenzije: 150Lx25Wx38H(mm); 150Lx25Wx53H(mm); CE Sertifikat					
	3	3	YASD-230	kom	150.00
ELEKTRO BRAVA YASD-320 Za klizna vrata i prozore; F-SECURE; Drži 450kg - 12VDC; Opcija 24VDC; -20°C~ +50°C; NO/COM/NC - Dimenzije: 150Lx25Wx38H(mm); 150Lx25Wx53H(mm); CE Sertifikat					

ELEKTRO BRAVE ZA STAKLENA VRATA

	4	1	BAK-08A	kom	47.50
ELEKTRO BRAVA BAK-08A Za staklena vrata BEZ rama					
	4	2	BAL-2800	kom	45.00
ELEKTRO BRAVA BAL-2800 Za staklena vrata SA ramom					
	4	6	ACAM-Y500U	kom	70.00
ELEKTRO BRAVICA GB ZA STAKLENA VRATA - DOK TRAJU ZALIHE					

ELEKTRO BRAVICE ZA FIOKE, PRETINCE ITD

	5	1	YAE-301	kom	30.00
Electric Cabinet Lock - YAE-301 - Size 55Lx55Wx25H(mm) Pin length 18mm Pin diameter 7mm Voltage 12VDC Current 320mA - Weight 0.12kg - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati					

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION		JM	VP CENA (EUR)	
 YEA-303 ELEKTRO-BRAVICA; 12VDC Za fioke, gard. ormariće itd. 116Lx35Wx33H(mm); F-Safe	5	2	YAE-303	kom	30.00
ELEKTRO BRAVICA ZA FIOKE YAE-303 12VDC, F-SAFE - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati					
	5	3	YAE-304	kom	35.00
Electric Cabinet Lock - YAE-304 - Size 50Lx30.2Wx26.8H(m), Holding force > 15; Voltage DC1; Current 100mA - Feature Fail safe(NC)Fail secure(NO) Suitable for File Cabinet ,Disply Cabinet - Weight 0.18k Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati					
 YEA-305NO ELEKTRO-BRAVICA; 12VDC Za fioke, gard. ormariće itd. 61Lx40.8Wx25H(mm)	5	4	YAE-305NO	kom	45.00
ELEKTRO BRAVICA ZA FIOKE YAE-305NO 12VDC, F-SAFE - Isporučuje se bez napajanja; CE, FCC, RoHS Sertifikati					

ELEKTRO-MAGNETI - DRŽAČI VRATA

	7	1	A4A-34A	kom	50.00
	ELEKTRO-MAGNET A4A-34A DRŽAČ ZA VRATA MONTAŽA NA ZID - Napajanje 12 / 24 VDC; 170mA / 85mA Door close rease button - Ima CE Sertifikat				
	7	3	A4A-39A	kom	65.00
	ELEKTRO-MAGNET A4A-39A DRŽAČ ZA VRATA MONTAŽA NA ZID - Montaža na zid; Napajanje 12 / 24 VDC; 170mA / 85mA Door close rease button - Ima CE Sertifikat				
	7	3	A4A-39C	kom	70.00
	ELEKTRO-MAGNET A4A-39C DRŽAČ ZA VRATA MONTAŽA NA ZID, ILI POD - Montaža na zid / pod; Napajanje 12 / 24 VDC; 170mA / 85mA Door close rease button - Ima CE & FCC. Sertifikate				
	7	3	A4A-34B	kom	55.00
	ELEKTRO-MAGNET A4A-34B DRŽAČ ZA STAKLENA VRATA MONTAŽA NA ZID - Napajanje 12 / 24 VDC; 170mA / 85mA Door close rease button - Ima CE Sertifikat				

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION		JM	VP CENA (EUR)	
	7	4	ELA-150	kom	75.00
ELEKTRO-MAGNETNA BRAVA ELA-150 Za automatska klizna vrata; Drži 60kg - 12VDC; Opcija 24VDC; -20°C~ +50°C; CE Sertifikat					
	7	4	A4A-39D	kom	70.00
ELEKTRO-MAGNET A4A-39D DRŽAČ ZA STAKLENA VRATA MONTAŽA NA ZID - Montaža na zid; Napajanje 12 / 24 VDC; 170mA / 85mA Door close rease button - Ima CE Sertifikat					
	7	7	A4A-31	kom	45.00
ELEKTRO/MAGNET A4A-31 DRŽAČ ZA VRATA - Montaža na zid					
	7	8	A4A-33	kom	50.00
ELEKTRO-MAGNET A4A-33 DRŽAČ ZA VRATA - Montaža na pod					

MEHANIZMI ZA VRATA

	8	1	DAL-36B	kom	5.00
MEHANIZAM ZA PROVLAČENJE KABLA IZMEĐU PLOTA VRATA I ŠTOKA DAL-36B - Hose Material: Stainless Steel Head Material: Zinc Alloy Wire diameter: 8mm					
	8	2	DAL-34	kom	10.00
KONEKTOR DAL-34 0~36V (VCD/VAC ; 5A ("Tappet Contacts 2p") - Za povezivanje kablova u PLOTU vrata sa kablovima u ŠTOKU vrata - Material: Plated brass					
	8	3	DAL-34B	kom	13.00
KONEKTOR DAL-34B 0-36VDC/VAC/5A ("Tappet Contacts 3p") - Za povezivanje kablova u PLOTU vrata sa kablovima u ŠTOKU vrata - Material: Plated brass					

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION			JM	VP CENA (EUR)
	8	4	DAL-37	kom	20.00
	MEHANIZAM ZA PROVLAČENJE KABLA IZMEĐU PLOTA VRATA I ŠTOKA DAL-37				
	- Mehanizam koji obezbeđuje da se kabl ne vidi niti "prekine" između štoka I krila vrata - Primenje se uglavnom na hotelima koji "gađaju" na 3 I više zvezdica				

KORISNA ELEKTRONIKA ZA ADAPTACIJU VRATA ZA EIKP SISTEME

	9	1	24315	kom	8.00
KONVERTER NAPONA 24315 DC/DC konvertor LM2596S, 2A, 150kHz, sa LED displejem - Input 4-38VDC, Output 1.25-36VDC; Eff 94%; Max. 8A; 200W					
	9	2	A4A-504	kom	12.00
KONVERTER NAPONA A4A-504 Input:12-28VDC (Blue); Output: 12VDC / 1A (Green) - Dimensions: 40Lx27Wx12H(mm) -20°C ~ 70°C					
	9	3	17206	kom	15.00
KONVERTER NAPONA VDC / VDC Podesiv LED displej "step down" - Input 4-38VDC; Output 1.25-36VDC; 5A; 75W; Eff 94%; LED displej "step down"					
	9	4	ASA-505R	kom	7.00
VREMENSKI RELEJ - A4A-505R 12VDC; 40mA; Podesiv 5 ~ 30S;					
	9	5	LQ611024--	kom	25.00
SCHRACK - Bistabilni (impulsni) rele 24VAC/12VDC 16A 1NO Dimenzije 73,0 x 18,0 x 90,00Težina 0,12kgGubitak snage 1,5w Min. Temperatura okoline -25° maks. Temperatura okoline 45°CD displej Da, mehanič Kontakti 1 NOVrsta ugradnje Na DIN nosačNapon napajanja AC 24VDisplej Da, mehanič Nazivna struja kontakata 16ASvojstva/posebnost Bez specijalnih dodatnih svojstaava					

INTERLOCK MODULE

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION			JM	VP CENA (EUR)
	10	1	A4A-501	kom	45.00
	INTERLOCK MODULE A4A-501 69Lx60Wx15H(mm) Max. Overload: 5A/24V				
	- PRIMENA: Applied to double-door interlocking doors -20°C ~ 70°C				
	- Isporučuje se bez napajanja				

HIDRAULIČNI ZATVARAČI VRATA

	11	1	A4DL-045	kom	35.00
	HIDRAULIČNI ZARVARAČ VRATA A4DL-045 45kg; Prema EN1154 Standardu				
	- Vrata 0.8m/90°; Težine do: 50~65kg; -40°C~80°C; Dimenzije: 145x57x37mm				
	- Two stages of adjustable speed; CE Sertifikat				
	11	2	A4DL-060	kom	40.00
	HIDRAULIČNI ZARVARAČ VRATA A4DL-060 60kg; Prema EN1154 Standardu				
	- Vrata 1m/90°; Težine do: 50~65kg; -40°C~80°C; Dimenzije: 175x65x40mm				
	- Two stages of adjustable speed; CE Sertifikat				
	11	3	A4DL-080	kom	45.00
	HIDRAULIČNI ZARVARAČ VRATA A4DL-080 80kg; Prema EN1154 Standardu				
	- Vrata 1.2m/90°; Težine do: 50~65kg; -40°C~80°C; Dimenzije: 202x69x44mm				
	- Two stages of adjustable speed; CE Sertifikat				
	11	4	A4DL-120	kom	55.00
	HIDRAULIČNI ZARVARAČ VRATA A4DL-1200 120kg; Prema EN1154 Standardu				
	- Vrata 1.03~1.25m/90°; Težine do: 90~120kg; -40°C~80°C; Dimenzije: 224x62x41.5mm				
	- Two stages of adjustable speed; CE Sertifikat				
	11	5	ACAM-M60	kom	25.00
	HIDRAULIČNI ZATVARAČ VRATA GB 65kg; CE sertifikat				

NOSAČI "L" I "Z" ZA ELEKTRO-MAHNETNE BRAVE (MAGNETI)

FOTO	OPIS PROIZVODA / PRODUCT DESCRIPTION		JM	VP CENA (EUR)
	12	1 ACAM-Y60-70ZL NOSAČ MAGNETNE BRAVE GB TIP ZL ZA SERIJU 60kg/70kg	kom	8.00
	12	2 180ZL Nosač za montažu elektro-magneta (180kg) "štok" vrata	kom	30.00
	12	3 ACAM-Y280ZL NOSAČ MAGNETNE BRAVE GB TIP ZL ZA SERIJU 280kg/600lbs - ZL Bracket For 280kg mag lock	kom	15.00
	12	4 MBK-180UL Nosač za montažu elektro-magneta (180kg) na staklena vrata	kom	15.00